

Section 1 - Identification of Chemical Product and Company**Statement of Hazardous Nature**

This product is classified as: Not classified as hazardous according to the criteria of NOHSC Australia.
Not a Dangerous Good according to the Australian Dangerous Goods (ADG) Code.

Bayer MaterialScience Pty Ltd
17-19 Wangara Rd
Cheltenham
Vic 3192

ABN 18 086 237 765

Phone: (03) 9581 9888
Fax: (03) 9583 9003

Substance: Polymer.
Trade Name: Vymar/Laserlite UPVC Solid Sheets
Product Code: PVCSS
Product Use: Architectural panels; industrial fabrication.
Creation Date: February, 2003
Revision Date: July 2008

Section 2 - Composition/Information on Ingredients

Ingredients	CAS No	Conc, %	TWA (mg/m³)	STEL (mg/m³)
Poly vinyl chloride	9002-86-2	>80	not set	not set
Other non hazardous ingredients *	secret	to 100	not set	not set

* Includes processing aids and pigments but no plasticiser. Stabiliser is a tin based system added at about 1.8%. It is harmful at full concentration but offers little risk when in the polymer at normal concentrations.

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that should not be exceeded for more than 15 minutes and should not be repeated for more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Section 3 - Hazards Identification

Risk Phrases: Not Hazardous - No criteria found.
Safety Phrases: Not Hazardous - No criteria found.
SUSDP Classification: None allocated.
ADG Classification: None allocated. Not a Dangerous Good.
UN Number: None allocated

Emergency Overview

Physical Description & colour: Architectural sheeting available in a range of colours and thicknesses. Usually supplied with a tear-off polyethylene masking.

Odour: None.

Major Health Hazards: no significant risk factors have been found for this product.

Potential Health Effects**Inhalation**

Short term exposure: Available data indicates that this product is not harmful. In addition product is unlikely to cause any discomfort or irritation except for mechanical irritation of inhaled dusts due to sawing or similar processes.

Skin Contact:

Short term exposure: No health effects known.

Eye Contact:

Short term exposure: Available data shows that this product is not harmful. In addition product is unlikely to cause any discomfort or irritation except for mechanical irritation dusts due to sawing or similar processes when safety glasses should be worn. Sawing may liberate low concentrations of hydrogen chloride vapour.

Ingestion:

Short term exposure: Available data shows that this product is not harmful. This product is unlikely to cause any irritation problems in the short or long term. Sheets are not to be used to collect rainwater for a drinking water system.

Carcinogen Status:

NOHSC: No significant ingredient is classified as carcinogenic by NOHSC.

NTP: No significant ingredient is classified as carcinogenic by NTP.

IARC: Poly Vinyl Chloride is Class 3 - unclassifiable as to carcinogenicity to humans.

Section 4 - First Aid Measures

General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this MSDS with you when you call.

Contact or Poisoning: From the available evidence, this product would appear to offer no significant health hazard by any exposure route. Consequently, First Aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

If molten material comes into contact with skin, do not attempt to remove it. Cool with cold running water until thoroughly cool. Wrap loosely with cold wet towel or bandage and take to hospital or doctor.

If polymer decomposition or monomer fumes (processing fumes) are inhaled, and adverse symptoms are experienced, move to fresh air. If patient is in discomfort or distressed or if symptoms persist more than about 15 minutes, seek medical advice.

Section 5 - Fire Fighting Measures

Fire and Explosion Hazards: There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids.

Fire decomposition products from this product may be toxic if inhaled - for example, hydrogen chloride fumes. Take appropriate protective measures.

Extinguishing Media: Preferred extinguishing media are carbon dioxide, dry chemical, foam, water fog.

Fire Fighting: If a significant quantity of this product is involved in a fire, call the fire brigade.

Flash point: Not flammable.

PVC decomposes about 250 - 300°C, and Flash Ignition Temperature is about 390°C.

Upper Flammability Limit: No data.

Lower Flammability Limit: No data.

Autoignition temperature: No data.

Flammability Class: No data.

Section 6 - Accidental Release Measures

Accidental release: Collect recoverable product onto pallets for recycling or salvage, and dispose of promptly. Recycle sheets wherever possible after careful cleaning. After spills of sheet sawdust, thoroughly sweep and shovel or vacuum area. This material may be suitable for approved landfill. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use.

Product Name: Vymar/Laserlite UPVC Solid Sheets

Section 7 - Handling and Storage

Handling: Take care when handling sheets. Sheet corners may be sharp. Check Section 8 of this MSDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: This product is chemically and physically stable and has no special storage requirements. However, make sure that packaging is sound and store in a suitable clean environment. Store packages of this product in a cool place. Make sure that the product does not come into contact with substances listed under "Materials to avoid" in Section 10. Check packaging - there may be further storage instructions on the label.

Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Industrial Clothing: **AS2919**, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

Exposure Limits	TWA (mg/m³)	STEL (mg/m³)
Exposure limits have not been established by NOHSC for any of the significant ingredients in this product.		

Ventilation: No special ventilation requirements are normally necessary for this product. However make sure that the work environment remains clean and that dusts are minimised.

Eye Protection: Wear suitable protective glasses or goggles when drilling, sawing or cutting sheets.

Skin Protection: When handling this product wear cotton or leather gloves to prevent cuts or scratches from sheet corners.

Protective Material Types: There is no specific recommendation for any particular protective material type.

Respirator: If there is a significant chance that dusts or processing fumes are likely to build up in the area where this product is being used, we recommend that you use a suitable Dust Mask.

Section 9 - Physical and Chemical Properties:

Physical Description & colour:	Architectural sheeting available in a range of colours and thicknesses. Usually supplied with a tear-off protective coating.
Odour:	None.
Boiling Point:	Decomposes before boiling at 100kPa.
Freezing/Melting Point:	Melts in a range above about 100°C.
Volatiles:	No specific data. Expected to be low at 100°C.
Vapour Pressure:	Negligible at normal ambient temperatures.
Vapour Density:	No data.
Specific Gravity:	1.38 - 1.395
Water Solubility:	Insoluble.
pH:	No data.
Volatility:	No data.
Odour Threshold:	No data.
Evaporation Rate:	No data.
Coeff Oil/water distribution:	No data
Autoignition temp:	No data.

Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: None known.

Incompatibilities: No particular incompatibilities.

Fire Decomposition: Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Hydrogen chloride gas, other compounds of chlorine. Water. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

Polymerisation: This product is unlikely to undergo polymerisation processes.

Section 11 - Toxicological Information

Local Effects:

Target Organs: There is no data to hand indicating any particular target organs.

Classification of Hazardous Ingredients

Ingredient	Risk Phrases
------------	--------------

No hazardous ingredients present in hazardous concentrations.

Section 12 - Ecological Information

This product is not biodegradable; it will remain intact for many years unless burned or otherwise destroyed.

Section 13 - Disposal Considerations

Disposal: If possible, recycle product either in-house or send to recycle company. If this is not practical, send to a commercial waste disposal site. This product should be suitable for landfill. However, check with local Waste Disposal Authority before sending there. Note that product properties may have been changed in use, significantly altering it's suitability for landfill. Please do NOT dispose sheet sawdust into sewers or waterways.

Section 14 - Transport Information

ADG Code: This product is not classified as a Dangerous Good. No special transport conditions are necessary unless required by other regulations.

Section 15 - Regulatory Information

AICS: All of the significant ingredients in this formulation are to be found in the public AICS Database.

Section 16 - Other Information

This MSDS contains only safety-related information. For other data see product literature. Fix sheets according to Laserlite Australia's Installation Instructions for this product. **Do not walk or stand on installed sheets.**

Acronyms:

ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail
AICS	Australian Inventory of Chemical Substances
CAS number	Chemical Abstracts Service Registry Number
Hazchem Number	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
IARC	International Agency for Research on Cancer
NOHSC	National Occupational Health and Safety Commission
NOS	Not otherwise specified
NTP	National Toxicology Program (USA)
R-Phrase	Risk Phrase
SUSDP	Standard for the Uniform Scheduling of Drugs & Poisons
UN Number	United Nations Number

THIS MSDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS MSDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.



A Bayer  Company

Vymar/Laserlite UPVC Solid Sheets

Material Safety Data Sheet

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS. OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This MSDS copyright © Kilford & Kilford Pty Ltd, July, 2008.

<http://www.kilford.com.au/> Phone (02)9516 2079